

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	325304	(identify identifies identified identifying locate located locating locates trace traces traced tracing track\$3 find finds found finding determin\$3 pinpoint \$3 pin-point\$3 (pin ADJ point\$3) determin\$5 compar \$4 judg\$4 assess\$4 detect\$3) WITH (time "when") WITH (error defect\$4 fault \$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:30
L6	5582	((error defect\$4 fault \$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (earlier before older further)) AND ((error defect\$4 fault\$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (later after newer younger fresher closer "more recent"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:30

L7	3595	L5 AND L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:30
L8	56379	("711").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:30
L9	97170	("707").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:30
L10	98495	("365").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:31
L11	308	L7 AND (L8 L9 L10)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/09 23:31
L12	104	L7 AND (L8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/09 23:31
L13	988107	(snapshot "snap shot" snap-shot backup back-up "back up" replica replication (time NEAR5 (store stored storing stores)) (image NEAR5 (version generation)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/09 23:31

L14	1623	L7 AND L13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/09 23:31
L15	281	((error defect\$4 fault \$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (earlier before older further)) SAME L13) AND (((error defect \$4 fault\$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (later after newer younger fresher closer "more recent")) SAME L13)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:31
L16	184	L5 AND L15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:31
L17	62	L16 AND (L8 L9 L10)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:32
L18	96983	("714").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:32

L19	83	L16 AND (L8 L9 L10 L18)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:32
L20	36436	((identify identifies identified identifying locate located locating locates trace traces traced tracing track\$3 find finds found finding determin\$3 pinpoint \$3 pin-point\$3 (pin ADJ point\$3) determin\$5 compar \$4 judg\$4 assess\$4 detect\$3) WITH (time "when") WITH (error defect\$4 fault \$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion)).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:32
L21	98191	((snapshot "snap shot" snap-shot backup back-up "back up" replica replication (time NEAR5 (store stored storing stores)) (image NEAR5 (version generation))))).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/09 23:32
L22	26	((error defect\$4 fault \$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (earlier before older further)).CLM. SAME L21) AND (((error defect\$4 fault\$1 corrupt\$3 flaw imperfection damage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:32

		damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (later after newer younger fresher closer "more recent")).CLM. SAME L21)				
L23	18	L20 AND L22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/09 23:32
L24	7	L23 AND (L8 L9 L10 L18)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/09 23:32
L25	2	((error defect\$4 fault \$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (earlier before older further)) SAME L13) AND (((("not" "no") NEAR2 (error defect \$4 fault\$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion)) WITH (time) NEAR3 (later after newer younger fresher closer "more recent")) SAME L13)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:33
L26	1	L5 AND L25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/09 23:33

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1304	((identify identifies identified identifying locate located locating locates trace traces traced tracing track\$3 find finds found finding determin\$3 pinpoint \$3 pin-point\$3 (pin ADJ point\$3) determin\$5 compar \$4 judg\$4 assess\$4 detect \$3) WITH (time "when") WITH (error defect\$4 fault \$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion)).CLM.	UPAD	OR	OFF	2010/01/09 22:51
L2	4570	((snapshot "snap shot" snap-shot backup back-up "back up" replica replication (time NEAR5 (store stored storing stores)) (image NEAR5 (version generation))))).CLM.	UPAD	OR	ON	2010/01/09 22:51
L3	2	((error defect\$4 fault\$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (earlier before older further)).CLM. SAME L2) AND (((error defect\$4 fault\$1 corrupt\$3 flaw imperfection damage damaged altered altered modified modification changed change taint\$3 intrusion) WITH (time) NEAR3 (later after newer younger fresher closer "more recent"))).CLM. SAME L2)	UPAD	OR	OFF	2010/01/09 22:52
L4	2	L1 AND L3	UPAD	OR	ON	2010/01/09 22:53

1/ 9/ 2010 11:33:48 PM

C:\ Documents and Settings\ sgu\ My Documents\ EAST\ Workspaces\ 10799428 Method for Identifying the Time At Which Data Was Written To A Data Store.wsp